



TAPER ROLLER BEARINGS (INCH)

Bearing No.	Dimensions (mm)			Weight (kg)	Bearing No.	Dimensions (mm)			Weight (kg)
	d	D	T			d	D	T	
11590/11520	15.875	42.862	14.288	0.100	02474/02420	28.575	68.262	22.225	0.400
09062/09195	15.875	49.225	19.845	0.200	2578/2523	28.575	69.850	23.812	0.470
11749/11710	17.462	39.878	13.843	0.080	45449/45410	29.000	50.292	14.224	0.110
11949/11910	19.050	45.237	15.494	0.120	17118/17244	29.987	62.000	16.002	0.220
09067/09195	19.050	49.225	18.034	0.170	15447/15245	29.987	62.000	19.050	0.260
09067/09194	19.050	49.225	21.209	0.180	88540/88513	30.000	72.000	29.370	0.610
09067/09196	19.050	49.225	21.209	0.190	15116/15245	30.112	62.000	19.050	0.260
09081/09195	20.625	49.225	19.845	0.170	86649/86610	30.162	64.292	21.433	0.330
12580/12520	20.638	49.225	19.845	0.180	88043/88010	30.162	68.262	22.225	0.410
12649/12610	21.430	50.005	17.526	0.160	2558/2523	30.163	69.850	23.812	0.460
12749/12710	21.986	45.237	15.494	0.120	15118/15245	30.213	62.000	19.050	0.260
12749/12711	21.986	45.974	15.494	0.120	15119/15245	30.213	62.000	19.050	0.260
07087X/07196	22.225	50.005	13.495	0.130	15120/15245	30.213	62.000	19.050	0.260
12648/12610	22.225	50.005	17.526	0.170	14116/14274	30.226	69.012	19.845	0.350
1380/1328	22.225	52.388	19.368	0.200	67048/67010	31.750	59.131	15.875	0.176
1380/1329	22.225	53.975	19.368	0.220	15113/15245	31.750	59.131	15.875	0.230
1280/1220	22.225	57.150	22.225	0.280	15125/15245	31.750	62.000	19.050	0.240
44649/44610	23.812	50.292	14.224	0.120	2580/2520	31.750	66.421	25.400	0.390
07096/17196	25.159	50.005	13.495	0.110	02475/02420	31.750	68.262	22.225	0.370
44642/44610	25.400	50.292	14.224	0.110	88046/88010	31.750	68.262	22.225	0.400
07100/07204	25.400	51.997	15.011	0.140	14124/14276	31.750	69.012	19.845	0.350
1780/1729	25.400	56.896	19.368	0.230	48548/48510	34.925	65.088	19.034	0.260
84584/84510	25.400	57.150	19.431	0.230	14585/14525	34.925	65.262	20.638	0.320
15101/243	25.400	61.912	19.050	0.290	14138/14276	34.926	69.012	19.845	0.320
15100/245	25.400	62.000	19.050	0.290	02877/02820	34.925	73.025	22.225	0.410
15101/245	25.400	62.000	19.050	0.290	88649/88613	34.925	73.025	27.000	0.520
15102/245	25.400	62.000	19.050	0.290	25877/25820	34.925	73.025	23.812	0.460
15101/15250X	25.400	63.500	20.638	0.320	25877/25821	34.925	73.025	23.812	0.460
02473/02420	25.400	68.262	22.225	0.430	3379/3320	34.925	80.167	29.370	0.710
88036/88011	25.400	68.262	22.225	0.430	3872/3820	34.925	85.725	30.162	0.900
2682/2630	26.162	63.100	23.812	0.380	449/432	34.925	95.250	27.782	1.070
44649/44610	26.988	50.292	14.224	0.110	14139/14276	34.976	69.012	19.845	0.320
15106/15245	26.988	62.000	19.050	0.280	339/332	35.000	80.000	21.000	0.530
1985/1930	28.575	56.896	19.845	0.210	48545/48510	35.124	65.088	19.034	0.250
15112/15245	28.575	62.000	19.050	0.270	88648/88610	35.717	72.233	25.400	0.480
15113/15245	28.575	62.000	19.050	0.270	25880/25821	36.487	73.025	23.812	0.450



TAPER ROLLER BEARINGS (INCH)

Bearing No.	Dimensions (mm)			Weight (kg)
	d	D	T	
2780/2720	36.487	76.200	23.812	0.520
89448/89410	36.512	76.200	29.370	0.620
25570/25520	36.512	82.931	23.812	0.650
69349/69310	38.000	63.000	17.000	0.190
69345/69310	38.000	69.000	17.000	0.200
13889/13830	38.100	63.500	12.700	0.140
29748/29710	38.100	65.088	18.034	0.220
29749/29710	38.100	65.088	18.034	0.220
29749/29711	38.100	65.088	19.812	0.240
13685/13621	38.100	69.012	19.050	0.280
2776/2720	38.100	76.200	23.812	0.490
2788/2720	38.100	76.200	23.812	0.490
3190/3420	38.100	79.375	29.370	0.650
27880/27820	38.100	80.035	24.608	0.560
801346/801310	38.100	82.550	29.370	0.760
3875/3820	38.100	85.725	30.162	0.870
3580/3525	38.100	87.312	30.162	0.870
418/414	38.100	88.500	26.988	0.820
525/522	38.100	101.600	34.925	1.470
2789/2720	39.688	76.200	23.812	0.470
26880/26822	39.688	79.375	23.812	0.550
3386/3320	39.688	80.167	29.370	0.650
3879/3820	40.000	85.725	30.162	0.840
801349/10	40.483	82.550	29.370	0.730
300849/300811	40.988	67.975	17.100	0.230
18590/18520	41.275	73.025	16.667	0.270
501349/501310	41.275	73.431	19.558	0.320
501349/501314	41.275	73.431	21.430	0.340
11162/11300	41.275	76.200	18.009	0.330
24780/24720	41.275	76.200	22.225	0.410
26882/26823	41.275	76.200	25.400	0.480
26882/26822	41.275	79.375	23.812	0.520
11162/111315	41.275	80.000	18.009	0.380
336/332	41.275	80.000	21.000	0.460
359S/354X	46.038	85.000	20.638	0.480
3598/352	46.038	90.119	23.000	0.640
804048/804010	47.625	88.900	25.400	0.660
804049/804010	47.625	89.900	25.400	0.650
3778/3720	47.625	93.264	30.162	0.880
386A/382A	47.625	96.838	21.000	0.720
463/453X	47.625	104.775	30.162	1.210
804848/804810	48.412	95.250	30.162	0.950
365S/362A	49.212	88.900	20.638	0.530
28579/28520	49.987	89.980	24.750	0.660
104948/104910	50.000	82.000	21.500	0.410
365/362A	50.000	88.900	20.638	0.510
366/362A	50.000	88.900	20.638	0.510
396/394A	50.000	110.000	22.000	1.040
104949/104911	50.800	82.550	21.590	0.420
18790/18720	50.800	85.000	17.462	0.360
368/362A	50.800	88.900	20.638	0.500
368A/362A	50.800	88.900	20.638	0.500
28580/25821	50.800	92.075	24.608	0.690

Bearing No.	Dimensions (mm)			Weight (kg)
	d	D	T	
26882/26820	41.275	80.167	25.400	0.550
802048/802011	41.275	82.550	26.543	0.620
3877/3820	41.275	85.725	30.162	0.820
3877/3821	41.275	85.725	30.162	0.830
3576/3525	41.275	87.312	30.162	0.820
365A/362A	41.275	88.900	20.638	0.620
803145/803110	41.275	88.900	30.162	0.900
103049/103010	44.450	71.438	12.700	0.180
25580/25520	44.450	82.930	23.812	0.550
25582/25520	44.450	82.930	23.812	0.550
25580/25522	44.450	83.058	23.876	0.560
355/354A	44.450	85.000	20.638	0.500
803149/803110	44.450	88.900	30.162	0.840
3782/3820	44.450	93.264	30.162	0.950
460/453	44.450	104.775	30.162	1.270
535/532	44.450	107.950	36.512	1.670
25584/25520	44.983	82.931	23.812	0.550
3776/3720	44.983	93.264	30.162	0.940
358/354	45.000	85.000	20.638	0.500
367/362	45.000	88.900	20.638	0.580
3586/3525	45.273	87.312	30.162	0.750
102949/102910	45.242	73.431	19.558	0.310
603049/603011	45.242	77.788	19.842	0.360
603049/603012	45.242	77.788	21.430	0.370
603049/603014	45.242	80.000	19.845	0.390
25590/25520	45.618	82.931	23.812	0.540
25590/25523	45.618	82.931	26.988	0.580
25590/25521	45.618	83.058	23.812	0.530
25590/25522	45.618	83.058	23.877	0.540
503349/503310	45.987	74.976	18.000	0.300
18690/18620	46.038	79.375	17.462	0.330
13181/13318	46.038	80.962	19.050	0.370
359A/354A	46.038	85.000	20.638	0.480
3598/354A	46.038	85.000	20.638	0.480
207049/207010	55.000	95.000	29.000	0.840
813840/913810	55.562	127.000	36.512	2.730
389/382	55.575	96.838	21.000	0.600
387/382A	57.150	96.838	21.000	0.580
387A/382A	57.150	96.838	21.000	0.580
387AS/382A	57.150	96.838	21.000	0.560
462/453X	57.150	104.775	30.162	1.040
39580/39520	57.150	112.715	30.162	1.370
39581/39520	57.150	112.712	30.162	1.370
388A/382A	57.531	96.838	21.000	0.570
813839/813810	59.987	127.000	36.512	2.610
29580/29520	60.000	107.950	25.400	0.840
29582/29520	60.000	107.950	25.400	0.840
3980/3920	60.325	112.713	30.162	1.290
212044/212011	60.325	122.238	38.100	1.990
392/394A	61.912	110.000	22.000	0.860
29585/29520	63.500	107.950	25.400	0.910
29585/29522	63.500	107.950	25.400	0.910
29586/29520	63.500	107.950	25.400	0.910



TAPER ROLLER BEARINGS (INCH)

Bearing No.	Dimensions (mm)			Weight (kg)
	d	D	T	
495/493	71.438	136.525	30.162	1.920
29685/29620	73.025	112.712	25.400	0.880
495A/492A	76.200	133.350	30.162	1.680
495A/493A	76.200	135.000	30.162	1.790
575/572	76.200	139.992	30.512	2.370
590A/592A	76.200	152.440	39.688	3.200
495A/493	77.788	136.525	30.162	1.740
740/742	80.962	150.089	44.450	3.390
580/572	82.550	139.992	36.512	2.140
663/653	82.550	146.050	41.275	2.750
749A/742	82.550	150.089	44.450	3.330
750A/742	82.550	150.089	44.450	3.290
217249/217210	85.000	150.000	46.000	3.330
749/742	85.026	150.089	44.450	3.210
593/592A	88.900	152.400	39.688	2.730
593A/592A	88.900	152.400	39.688	2.730
598A/592A	92.075	152.400	39.688	2.610
594A/592A	95.250	152.400	39.688	2.460
683/672	95.250	168.275	41.275	3.680
687/682	101.600	168.278	41.275	3.360
221449/221410	101.600	190.500	57.150	7.200
782/772	104.775	180.975	47.625	4.830
524850	80.000	130.000	35.000	3.210
524851	90.000	145.000	35.000	3.460
9943	30.000	62.000	16.000	0.206
7304	20.000	52.000	15.000	0.146
320/32	32.000	58.000	17.000	0.187
820049/822010	110.000	165.000	35.000	2.482
320/28	28.000	52.000	16.000	0.142
SET-1	17.462	39.878	13.843	0.083
SET-2	19.050	45.237	15.494	0.124
SET-3	21.430	50.005	17.426	0.169
SET-4	26.988	50.292	14.224	0.119
SET-5	34.925	65.088	18.034	0.250
SET-6	31.750	59.131	15.875	0.175
SET-8	29.000	50.292	14.224	0.114
SET-9	35.000	65.000	18.100	0.257
SET-10	39.688	73.025	19.395	0.357
SET-11	38.000	63.000	17.000	0.201
368/362A	50.800	88.900	20.638	0.500
28580/28521	50.800	92.075	24.608	0.690
3780/3720	50.800	93.264	30.162	0.840
33889/33821	50.800	95.250	27.783	0.850
807046/807010	50.800	104.775	36.512	1.490
5377532A	50.800	110.125	38.100	1.700
397573920	50.800	112.712	30.162	1.490
368S/362A	51.592	88.900	20.638	0.490
28584/28521	52.388	92.075	24.608	0.660
33890/33821	52.388	95.250	27.783	0.820
806649/806610	53.975	88.900	19.050	0.420
33895/33821	53.975	95.200	27.783	0.790
33895/33822	53.975	95.200	27.783	0.790
456/453X	53.975	104.775	30.162	1.100
807049/807010	53.975	104.775	36.512	1.410
539/532X	53.975	107.950	36.512	1.440
911242/911210	53.975	130.175	36.512	2.220
636/632	53.975	136.525	41.275	3.100
807048/807010	54.488	104.775	36.513	1.400

Bearing No.	Dimensions (mm)			Weight (kg)
	d	D	T	
SET-12	21.986	45.237	15.494	0.116
SET-13	34.988	59.131	15.875	0.168
SET-14	25.400	50.292	14.224	0.128
SET-15	29.000	50.292	14.224	0.110
SET-16	21.986	45.974	15.494	0.121
SET-17	34.988	59.974	15.875	0.175
SET-18	38.000	63.000	17.000	0.190
SET-22	31.750	59.131	15.875	0.187
SET-24	35.000	60.000	15.575	0.180
SET-31	35.000	60.000	15.575	0.188
SET-34	21.430	50.005	17.526	0.119
SET-35	41.275	73.431	19.558	0.320
SET-37	45.242	77.788	19.842	0.363
SET-38	50.800	82.000	21.976	0.417
SET-39	50.800	82.550	21.590	0.420
SET-42	38.100	65.055	18.034	0.240
SET-45	41.275	73.431	19.558	0.329
SET-47	45.242	73.431	19.558	0.310
SET-55	45.618	82.931	23.813	0.539
SET-56	38.100	65.088	18.034	0.233
SET-57	34.925	76.200	29.370	0.620
SET-60	34.925	65.088	21.082	0.278
SET-61	15.875	42.862	14.288	0.100
SET-62	23.000	79.985	19.843	0.402
SET-63	33.338	68.262	22.225	0.370
SET-67	34.925	72.233	25.400	0.500
SET-69	41.295	73.431	21.430	0.355
SET-73	25.400	62.000	19.050	0.290
SET-74	57.150	96.838	21.000	0.570
SET-75	57.150	96.838	25.400	0.640
SET-76	57.150	96.838	21.000	0.560
SET-82	50.800	82.550	21.590	0.420
SET-83	44.450	88.900	30.162	0.840
SET-84	44.450	104.775	36.512	1.620
SET-103	63.500	112.712	30.612	1.220
SET-107	50.000	82.000	21.500	0.410
SET-401	82.550	139.992	36.512	2.140
SET-408	66.675	112.712	30.162	1.130
SET-411	82.550	113.350	33.338	1.690
29585/29522	63.500	107.950	25.400	0.910
29586/29520	63.500	107.950	25.400	0.910
3982/3920	63.500	112.712	30.162	1.220
212046/212011	63.500	122.238	38.100	1.940
39586/39520	64.988	112.712	30.162	1.200
39590/29520	66.675	107.950	25.400	0.840
395A/394A	66.675	110.000	22.000	1.060
3984/3920	66.675	112.712	30.162	0.780
39590/39520	66.675	112.712	30.162	1.130
39590/39521	66.675	112.712	30.162	1.130
212049/212010	66.675	122.238	38.100	1.850
212049/212011	66.675	122.238	38.100	1.850
399A/394A	68.262	110.000	22.000	0.740
480/472	68.262	120.000	29.794	1.340
570/563	68.262	127.000	36.512	1.940
482/472	69.850	120.000	29.794	1.300
813049/813010	70.000	110.000	26.000	0.880
612949/612910	70.000	115.000	29.000	1.130
29680/28620	70.637	112.712	25.400	0.930